


LED Test Report

Temperature :20'C

Operator :罗工

Test Date :2015-05-21 18:07:51

Remark:



Chroma Parameters

Chro.Coord.:x=0.3801 y=0.3797 u=0.2238 v=0.3352 duv=0.0014

CCT: 4030K Dominant Wave.:578.2nm Purity:28.0%

Flux RGB Ratio:R=17.8%,G=80.0%,B=2.2% Peak Wave:449.6nm Half Width:23.4nm

Rendering Index:Ra= 80.9

| | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|
| R1 =79 | R2 =87 | R3 =94 | R4 =80 | R5 =79 | R6 =82 | R7 =85 | R8 =61 |
| R9 =-2 | R10=69 | R11=79 | R12=60 | R13=80 | R14=97 | R15=72 | |

Photo Parameters

Flux:3775.97lm

Effi.:142.3lm/W

Radiant:9783.7mW

Iv:0.0mcd

Ele. Parameters

Voltage:U=220.100V

Current:I=0.1430A

Power:P=26.53W

Power Factor:PF=0.840

Lamp Parameters

Voltage:U=220.100V

Current:I=0.1430A

Power:P=26.53W

Power Factor:PF=0.847

Efficacy:0.0lm/W

Instrument state

Instrument:Hopoo HP8000

Integral Time: 20.000ms

VPeak: 14229

VDark: 1319

Product ID: 201312502